

Recommended Reagents: EASY 20 R+

Below is a list of suitable reagents to work with the bottle top dispenser:

A catal dahuda
Acetaldehyde
Acetic acid (glacial), 100%
Acetic acid, ≤96%
Acetic anhydride
Acetone
Acetonitrile
Acetophenone
Acetyl chloride
Acetylacetone
Acrylic acid
Acrylonitrile
Adipic acid
Allyl alcohol
Aluminium chloride
Amino acids
Ammonia, ≤ 20%
Ammonia, 20-30%
Ammonium chloride
Ammonium fluoride
Ammonium sulfate
n-Amyl acetate
Amyl alcohol (Pentanol)
Amyl chloride (Chloropentane)
Aniline
Barium chloride
Benzaldehyde
Benzene (Benzol)
Benzine (Petroleum benzine)
bp 70-180 °C
Benzoyl chloride
Benzyl alcohol
Benzylamine
Benzylchloride
Boric acid, ≤10%
Bromobenzene
Bromonaphthalene
Butanediol
1-Butanol
n-Butyl acetate

Butyl methyl ether Butylamine Butyric acid Calcium carbonate Calcium chloride Calcium hydroxide Calcium hypochlorite Carbon tetrachloride Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetone Chlorobenzene Chlorobutane Chlorobutane Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethylamine 1.2 Diethylbenzene Diethylene glycol	
Butyric acid Calcium carbonate Calcium chloride Calcium hydroxide Calcium hypochlorite Carbon tetrachloride Chloro naphthalene Chloroacetic acid Chloroacetic acid Chlorobenzene Chlorobutane Chlorobutane Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Butyl methyl ether
Calcium chloride Calcium hydroxide Calcium hypochlorite Carbon tetrachloride Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chlorobenzene Chlorobutane Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichlorobenzene Dichloroethane Dichloromethane Dicsel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Butylamine
Calcium chloride Calcium hydroxide Calcium hypochlorite Carbon tetrachloride Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloromethane Dicsel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Butyric acid
Calcium hydroxide Calcium hypochlorite Carbon tetrachloride Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethylamine Diethylamine 1.2 Diethylbenzene	Calcium carbonate
Calcium hypochlorite Carbon tetrachloride Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chloroacetone Chlorobenzene Chlorobutane Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethylamine Diethylamine 1.2 Diethylbenzene	Calcium chloride
Carbon tetrachloride Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chlorobenzene Chlorobutane Chlorobutane Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Calcium hydroxide
Chloro naphthalene Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chloroacetone Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Calcium hypochlorite
Chloroacetaldehyde, ≤ 45% Chloroacetic acid Chloroacetone Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Carbon tetrachloride
Chloroacetic acid Chloroacetone Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Chloro naphthalene
Chloroacetone Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Chloroacetaldehyde, ≤45%
Chlorobenzene Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤ 50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloromethane Dicsel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Chloroacetic acid
Chlorobutane Chloroform Chlorosulfonic acid Chromic acid, ≤50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexane Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Chloroacetone
Chloroform Chlorosulfonic acid Chromic acid, ≤50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethylene Dichloromethane Dicsel oil (Heating oil), bp 250-350 °C Diethanolamine Diethylamine 1.2 Diethylbenzene	Chlorobenzene
Chlorosulfonic acid Chromic acid, ≤50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Chlorobutane
Chromic acid, ≤50% Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Chloroform
Chromosulfuric acid Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethyl ether Diethyl ether Diethylamine 1.2 Diethylbenzene	Chlorosulfonic acid
Copper sulfate Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloromethane Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethyl ether Diethyl ether Diethylamine 1.2 Diethylbenzene	Chromic acid, ≤50%
Cresol Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Dicsel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethyl ether Diethyl ether Diethylamine 1.2 Diethylbenzene	Chromosulfuric acid
Cumene (Isopropyl benzene) Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethyl ether Diethylamine 1.2 Diethylbenzene	Copper sulfate
Cyclohexane Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloromethane Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethyl ether Diethylamine 1.2 Diethylbenzene	Cresol
Cyclohexanone Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Cumene (Isopropyl benzene)
Cyclopentane Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Cyclohexane
Decane 1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Cyclohexanone
1-Decanol Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Cyclopentane
Dibenzyl ether Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Decane
Dichloroacetic acid Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	1-Decanol
Dichlorobenzene Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Dibenzyl ether
Dichloroethane Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Dichloroacetic acid
Dichloroethylene Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Dichlorobenzene
Dichloromethane Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Dichloroethane
Diesel oil (Heating oil), bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Dichloroethylene
bp 250-350 °C Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Dichloromethane
Diethanolamine Diethyl ether Diethylamine 1.2 Diethylbenzene	Diesel oil (Heating oil),
Diethyl ether Diethylamine 1.2 Diethylbenzene	bp 250-350 °C
Diethylamine 1.2 Diethylbenzene	Diethanolamine
1.2 Diethylbenzene	Diethyl ether
	Diethylamine
	1.2 Diethylbenzene
	Diethylene glycol



Dimethylaniline Dimethylformamide (DMF) 1.4 Dioxane Diphenyl ether Essential oil Ethanol Ethanolamine Ethyl acetate Ethyl acetate Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, ≤20% Hydrochloric acid, ≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methoxybenzene Methyl benzoate Methyl butyl ether	Dimethyl sulfoxide (DMSO)
Dimethylformamide (DMF) 1.4 Dioxane Diphenyl ether Essential oil Ethanol Ethanol Ethanolamine Ethyl acetate Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methoxybenzene Methyl benzoate Methyl butyl ether	
Diphenyl ether Essential oil Ethanol Ethanol Ethanolamine Ethyl acetate Ethyl benzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Diphenyl ether Essential oil Ethanol Ethanol Ethanolamine Ethyl acetate Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, ≤20% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Essential oil Ethanol Ethanol Ethanolamine Ethyl acetate Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Ethanol Ethanolamine Ethyl acetate Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Ethanolamine Ethyl acetate Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Ethyl acetate Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤ 100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤ 50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl benzoate Methyl butyl ether	
Ethylbenzene Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤ 100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤ 50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide, ≤ 35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Ethylene chloride Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl benzoate Methyl butyl ether	-
Fluoroacetic acid Formaldehyde, ≤ 40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Formaldehyde, ≤40% Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	-
Formamide Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Formic acid, ≤100% Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanoic acid Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Glycerol Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanoic acid Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Glycol (Ethylene glycol) Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanoic acid Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Glycolic acid, ≤50% Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanol Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	-
Heating oil (Diesel oil), bp 250-350 °C Heptane Hexane Hexanoic acid Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
bp 250-350 °C Heptane Hexane Hexanoic acid Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	
Heptane Hexane Hexanoic acid Hexanoic acid Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide, ≤ 35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Heating oil (Diesel oil),
Hexane Hexanoic acid Hexanol Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	bp 250-350 °C
Hexanoic acid Hexanol Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Heptane
Hexanol Hydriodic acid, ≤ 57% Hydrobromic acid Hydrochloric acid, ≤ 20% Hydrochloric acid, 20-37% Hydrogen peroxide, ≤ 35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hexane
Hydriodic acid, ≤57% Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hexanoic acid
Hydrobromic acid Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hexanol
Hydrochloric acid, ≤20% Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hydriodic acid, ≤57%
Hydrochloric acid, 20-37% Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hydrobromic acid
Hydrogen peroxide,≤35% Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hydrochloric acid, ≤20%
Isoamyl alcohol Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hydrochloric acid, 20-37%
Isobutanol Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Hydrogen peroxide,≤35%
Isooctane Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Isoamyl alcohol
Isopropanol (2-Propanol) Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Isobutanol
Isopropyl ether Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Isooctane
Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Isopropanol (2-Propanol)
Lactic acid Methanol Methoxybenzene Methyl benzoate Methyl butyl ether	Isopropyl ether
Methoxybenzene Methyl benzoate Methyl butyl ether	
Methyl benzoate Methyl butyl ether	Methanol
Methyl butyl ether	Methoxybenzene
Methyl butyl ether	Methyl benzoate
Methyl ethyl ketone	Methyl ethyl ketone

Methyl formate
Methyl propyl ketone
Methylene chloride
Mineral oil (Engine oil)
Monochloroacetic acid
Nitric acid, ≤30%
Nitrobenzene
Oleic acid
Oxalic acid
n-Pentane
Peracetic acid
Perchloric acid
Perchloroethylene
Petroleum, bp 180-220 °C
Petroleum ether, bp 40-70 °C
Phenol
Phenylethanol
Phenylhydrazine
Phosphoric acid, ≤85%
Phosphoric acid, 85%
Sulfuric acid, 98% 1:1
Piperidine
Potassium chloride
Potassium dichromate
Potassium hydroxide
Potassium permanganate
Propionic acid
Propylene glycol (Propanediol)
Pyridine
Pyruvic acid
Salicylaldehyde
Scintilation fluid
Silver acetate
Silver nitrate
Sodium acetate
Sodium chloride
Sodium dichromate
Sodium fluoride
Sodium hydroxide, ≤30%
Sodium hypochlorite



Sulfuric acid, ≤98%
Tartaric acid
Tetrachloroethylene
Tetramethylammonium hydroxide
Toluene
Trichloroacetic acid
Trichlorobenzene
Trichloroethane
Trichloroethylene
Trichlorotrifluoro ethane
Triethanolamine
Triethylene glycol
Trifluoro ethane
Trifluoroacetic acid (TFA)
Turpentine
Urea
Xylene
Zinc chloride, ≤10%
Zinc sulfate, ≤10%

▲ CAUTION:-

Always follow instructions in the operating manual of the dispenser as well as the reagent manufacturer's specifications. In addition to these chemicals, a variety of organic and inorganic saline solutions (e.g., biological buffers), biological detergents and media for cell culture can be dispensed. If used with strong acids, it is advised to rinse & remove dispenser at the end of every working day & store it safely. If require information on chemicals not listed, please contact us.